Permit #: 2004/

County: BATES

CONFIDENTIAL UNTIL:

Date Issued: 08-02-90

Date Cancelled:

Date Plugged: 229-95

OGC FORMS	Date Received
1	
2	
ω	08-48-40
3i	
4	09-46-40
4i	
5	7-18-95
6	14-25.94
7	8-3-95
8	
11	
12	
Misc. Form 2	

	TYPE	TD #	Date Received
Logs			
Samples	chip		
	core		
	water		
Analyses	core		

Additional Submitted Data:

COMMENTS:



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

APPLICATION	ON TO DRILL	☐ DEEPEN	N D PLI	JG BACK	⊠ FC	OR AN OIL	WELL 🖾	OR GAS WELL
NAME OF COMPANY OR						10	DATE	
Pense Broti	a Missour	Missouri corporation			7/20/90			
	O Newberry P. O. Box 5		Fre	Fredericktown			MO	63645
DESCRIPTION	Annual Control of the					Alexa de la		03043
NAME OF LEASE			WELL NUMBE	WELL NUMBER			LEVATION (GROUND)	
WELL LOCATION	armon & Sor	ns		1			998'	
WELL COCATION	2450			2000	and a	A 32		
WELL LOCATION		TION FT. FROM (N)	SECTION LINE		RANGE		ECTION LINE	
S/2 SE/4 N	NW/4 1	.2	41 N	41 N 32 W			Bates	
NEAREST DISTANC	E FROM PROPOS	ED LOCATION TO PR		FLINE	654.7	FEET	Dates	
DISTANCE FROM PI	ROPOSED LOCAT	ION TO NEAREST DE	ILLING, COMPLE		D FOR WE	LL ON THE S	AME LEASE	N/A FEE
PHOPOSED DEPTH	DRI	LLING CONTRACTOR, NAM	ME AND ADDRESS		ROTARY OR CA	ABLE TOOLS A	PPROX. DATE WORK WIL	L START
450 NUMBER OF ACRES IN LE	EACE	nse Brothers						
394.14	NU	MBER OF WELLS ON	LEASE, INCLUDIN	IG THIS WELL,	COMPLETED	IN OR DRILL	ING TO THIS RESER	RVOIR1
THE OWNER OF STREET SHOWS AND ADDRESS OF THE PARTY OF THE	ED WITH ONE OR	MBER OF ABANDON	ED. FROM WHOM	PURCHASED?				
NAME		The state of the control of the cont		. OHOLINGED!		1	IO. OF WELLS: PRO	0
ADDRESS								NACTIVE 0
								NDONED
STATUS OF E	BOND	SINGLE WELL AMOUNT \$,		BLAN	KET BONI		ON FILE
PROPOSED CASI	NG PROGRAM			APPROVED	CASING		EIVE	GEOLOGIST.
AMOUNT	SIZE	WT/FT	CEM.	AMOUN		SIZE JUI	12 4 M990	CEM.
50'	7"	17 1bs	to surf.	50'		7,400	& Gas Council	to Surface
ID to Surf.	4 1/2"	9 1bs	to surf.	1.D. to	Surt	4 6	mic Geology	to surface
company), and the and direction and direction and direction and discourse A	that I am autho	am the Assistantial Assistantia	npany to make	this report,	and that th	s report was	Bros. Drg. Coas prepared under owledge.	
PPROVAL DATE 8	2004	1	CORE A SAMPLI SAMPLI	R'S LOG REQU NALYSIS REQU ES REQUIRED ES NOT REQUII SAMPLES REQ	JIRED IF RUN		OGS REQUIRED IF R	UN REQUIRED IF RUN
NOTE THIS	PERMIT NOT THE	NSFERABLE TOTANY	OTHER REDCON					
	LEUMIN AND THE	OIL AND GAS COU	NCIL DOES NOT	OR TO ANY OT	HER LOCATIO	ON NT OF THE O	SEOLOGIC MEDITE	OF THE PROPOSES
ELL NOR ENDORSE	MENT OF THE QU	OIL AND GAS COUL JALIFICATIONS OF T	NCIL DOES NOT	OR TO ANY OTI	HER LOCATION	ON NT OF THE C	SEOLOGIC MERITS	OF THE PROPOSED
hat an approved	drilling perm	OIL AND GAS COUR UALIFICATIONS OF T lit has been obta ermit number and	NCIL DOES NOT OF PERMITTEE. Of the ined by the or	CONSTITUTE E	well Cou	ncil appro	val of this perm	Company confirm



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG



□ NEW WELL □ W	ORKOVER DEEPE	N PLUG BACK	☐ INJECTION	☐ SAME	RESERVO	DIR DIFFE	ERENT RESERVOI	R 🗆 OI	L GAS ADRY	
OWNER		BOX 551, FREDERICKTOWN, NO 636 45								
PENSE BROTH	ERS DRILLIA	IG Co., INC	?.	SOX 50	51, F	REDERICA	KTOWN, M	10 63	36 43	
HARMON 4					#1					
LOCATION		Street gold	1/1/	SEC. 12, THN, R 32W						
5/2 5E/4	NW/4		501916	177	30	SEC. 12	, 1 41N, K	524	0	
0		UMBER (OGC-3 OR OGC	2-31)							
BATES DATE SPUDDED	DATE TO	2004/	DATE COMPLE	TED READY T	0	ELEVATION (E	OF, RKR, RT, OR Gr.)	ELEVAT	ION OF CASING HD.	
8/27/91		29/90 CK TOYAL DEPTH	PRODUCE OR	0/90		FEETGR	998 (TOPO)	FLANGE	990 FEET	
TOTAL DEPTH ,			/	7						
450	ION INTERVAL(S) FOR TH	36	0	I DOTABY TO	OL C LICED	(INTERVAL)		CARLET	TOOLS USED (INTERVAL)	
		HIS COMPLETION			,	(INTERVAL)	450	CABLL	NIL	
225 Throwas this well direct	UNALLY WAS DIRE	ECTIONAL SURVEY MADE	E?	WAS COPY O	OF DIRECT	TIONAL SURVEY	FILED?	DATE FI	LED	
AS THIS WELL DIRECTIONALLY WAS DIRECTIONAL SURVEY WAS					V/A		N/A.			
TYPE OF ELECTRICAL O	R OTHER LOGS RUN (LIS	T LOGS FILED WITH THE	STATE GEOLOG	GIST)				DATE FILED		
	PPE OF ELECTRICAL OR OTHER LOGS RUN (LIST LOGS FILED WITH THE STATE GEO							4/	20/94	
				RECORD						
CASING (REPORT AL	L STRINGS SET IN WE						CACKE CEM	ENIT	AMOUNT PULLED	
PURPOSE	SIZE HOLE DRILLED	SIZE CASING SE	T WEIGH	T (LB. FT)	DE	PTH SET	SACKS CEME	ENI	AMOUNT FOLLED	
Cuarase	85/8"	2"	17	LB.	51	07"	8		ML	
SURFACE		1/11			- /	/				
PROD. CSG.	61/4"	4/2	9.5	LB	4.	45	59		NIL	
7700.00.										
	TUBING REC	ORD					LINER RECORD			
SIZE //		ACKER SET AT SIZE	1	TOP //		воттом	SACKS CE	MENT	SCREEN	
N/A IN.	N/A FEET	N/A FEET	N/A INCH	NIA	FEET	NA	FEET N/A	1	NA FEET	
	PERFORATION F	RECÓRD			ACID,	SHOT, FRACT	TURE, CEMENT SO	QUEEZE	RECORD	
NUMBER PER FEET	SIZE AND TYPE	DEPTH INTI	ERVAL		MATERI	ND KIND OF IAL USED		,	INTERVAL	
2	31/8" DENS 1	399.5 to 4 4417' TO 4		3000	LBS	5% HCL SAND		7.57	0 403,5	
1	3 1/8" DENSI	225' 70:		3000 LBS SAND 4417' : 100 921 1570 HCL 2000 LB. SAND 225';				e1-	225	
d	JETS H.S.C.	263 TO.				AND	ad	0 /	0 75	
	TION OF WIFETING	PRODUCING METHOD		RODUCTIO		PUMPING — IF I	PUMPING SHOW SIZ	E AND TY	PE OF PUMP.	
DATE OF FIRST PRODUC	TION OR INJECTION		WABB!		1.1	XFA	ONKY	Box	ZONES.	
DATE OF TEST HOU	IRS TESTED CHOKE S			GAS PRODU	CED DUR	ING TEST	WATER PRODUCE	D DURING	G OIL GRAVITY	
DATE OF TEST	ond redied official of	TEST	bbls			MCF	TEST	bb	Is. API (CORR.	
TUBING PRESSURE	CASING PRESSURE	CAL'TED RATE OF PROPER 24 HOURS		OIL	bbls.	GAS	WATERY. RI	ate Bu bb	GAS OIL HATIO	
DISPOSITION OF GAS (S	STATE WHETHER VENTED), USED FOR FUEL OR SC	DLD)		Juis.	mor	au Doc U	7-1		
METHOD OF DISPOSAL	OF MUD PIT CONTENTS									
DRILLED W	DITH AIR &			NLY D	VER	-11/5D U	oith TOPSO	1/70	SURF, LEVEL	
YENSE BRUS	UNDERSIGNED, STATE TO	INC.	COMPA						REPORT, AND THAT THE	
	D UNDER MY SUPERVISIO		THAT THE FACT	S STATED TH	IEREIN AF	_		TO THE E	BEST OF MY KNOWLEDGE	
DATE 7/161	1	SIGNATURE DE	USE BY	DS. DA	ZLG.	Co., I	NC.			
///	195	2	es	and						

888 OF HARMON & SONS NO. 1 WELL - PERMIT NO. 20041 8/29/90 5/2 SE/4NW/4 SECTION 12-4/N, 32W, BATES CO, MO FLEVATION: 998 (TOPO) PENSE BROS, DRG. CO, INC. TORSOIL, CLAY-BROWN, SLIEHTLY SANDY SHALL, DARK GREY TO SLIGHT COAL SEAM & SANDSTONE CON BACE. 6-10 CLAY, TAN TO WELT BROWN, SLIBHTLY CHLCAREOUS 10-25 SHALE, LIGHT GREY, SILTY 25-35 LIMESTONE, SANDSTONE STRIFTIONS, TAN TO BUFF, SLIGHT WATER SHOW 35-200 SHALE, GREY TO BLUISH GREY, DENSE TO OCCASIONAL FRIABLE, 200-225 SHALE, LIGHT GREY, WITH SHALY SILTSTONE STRIATIONS 225-242 SANDSTONE MEDIUM GRAIN, TAN TO LIGHT BIRDUN, STAIN, SLIGHT COAL SEAM, SLIGHTLY CALCITIE, Some OIL IN PIT WHILE DRILLING, FAIR FLUDRESCENCE & OIL CUT. 242-252 LIMESTONE, SLIGHT POROSITY, SLIGHT GREENICH SHALE STRIATION AT TOP, 80% DULL TO BRIGHT FLUORESCENCE, SLIGHTLY DOLITIC IN SOME ZONES, COAL PARTICLES AT BASE, 252-268 SHALE, LIGHT GIVEY, FEW COAL PROTICLES & QUAPTECTYSTAL 268-282 LANGSTONE WHITE TO CREAM, SUGHTENCETTE TOP JUL 18 1995 282-295 SHALE, GREY TO DARK GREY 295-300 LINESTONE, GREY TO LIGHT BROWN, ODIN& Gas Council 300-315 SHALE, DENSE, GREY TO DARK GREY, SLIGHTLY CALCAREDUS 315-320 LIMESTONE, DENSE, SHALY, GREY TO DOEK GREY 320-325 SHALE GREY TO DARK GREY 325-346 LIMESTONE, DENSE, SHARY, GREY TO DAKK GREY 346-375 SHALE, GREY TO LIGHT GREY, SILTY WITH SILTSTONE STRINGE 375-400 SILTSTONE WITH SAMDSTONE & SHALE STRIATIONS CALCITIC 400-435 SANDSTONE WITH SIHSTONE AND SHALE STRIATIONS, + STAINING CON 435-450 LIMESTONE, TANTOLIGHT BROWN, FEW SHALEY COAL PARTICLES OF BASI TD-450

MO 780-0214 (10-87)


NAME OF LEASE HARM	ON & SONS	*		DATE 4/1.	5/94
WELL NUMBER	LOCATION				
/	2450 FEET FE	ROM (N) SECTION LIN	E AND 200	O FEET FROM	W) SECTION LINE OF
SECTION	TOWNSHIP	RANGE	COUNTY		· · · · · · · · · · · · · · · · · · ·
12	4/N	32 W	BAT	TES	
998 FEET	THE GROUND AT WELL SITE	2004)	OR GGG SI NUMBER)		
_	OMPANY THAT WILL DO WORK IS:	GCO., INC.			
ADDRESS PA A/-	100 mm. 51	CITY	Transaction and Section 1	STATE	ZIP CODE
P. 0,130	UBERRY ST.	FREDERICK;	TOWN,	MO	63645
	NDICATE SIZE, KIND, AND DEP			I ED OTHER PERTINEN	IT DETAILS)
TO SURFACE TO T.D. OF TO SURFACE 417'TO 424 MEASURABLE CEMENTALUS 235 FEET, MOSTLY WAT NO SURF HEAVY MUD: MUD TO	WITH 8 SACKS OF TO WITH 8 SACKS OF TREATED WITH SO SACKS CON TREATED WITH SO TO 3 TREATED 100 GAL SON TREATED 100 GAL SON TREATED 100 GAL SON TO 200, CEM. TO 200, CEMENT CASING TO 200, CEMENT OFF 4' IS LONG ATTACKED 100 GAL SON CEMENT OFF 4' IS LONG ATTACKED NEUTRON	EMENT. PERFORMENT. PERFORMENT. PERFORMENT. PERFORMENT. PERFORMENT. SON PERFORMENT SON BE PULL 2006 LAS PLUS 200 PULLS TO SURFA	HOLE ING HORATED 39 HOLL AND HORATED 39 HOLL AND HORALY M ED 10/18 DOOD LB S FROM FROM TO 2 FROM TO 2	PRILLED FR PAN IN HOLE 19.5' TO 403. 3000 LBS. S AUD TO 38 190 FROM 1900 PROM	E DEMENTED SOM 53' E + CEMENTED SOM NO SONO DO TO DO DO TO DO DO TO DO DO TO DO DO TO DO DO TO DO DO TO DO TO
(company), and that I	undersigned, state that I all am authorized to make this ed herein are true, correct, a	s report; and that this re nd complete to the best	. P. port was prepa	of the lense Ryos	Dy Co. Inc.
/	B. E. BLANCE			4/2	0/94

REMIT TWO COPIES TO: MISSOURI OIL AND GAS COUNCIL, P.O. BOX 250, ROLLA MO 65401



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL
PLUGGING RECORD

OWNER				ADDRESS			
PENSO NAME OF LE	E BROTHERS]	RILLING Co	., INC.	Bx 551, FREDE	ERICK TO	OWN, MO	63645
HAR	HARMON & SONS			THE OR BLOCK & SURVEY	20		
					COUNTY		
APPLICATION	SE/4 NW/4 N TO BRILL THIS WALL WAS FILE	DINNAME OF THAS	HIS WELVEVER PRODUCED	, R 32W	BAT		
		OIL OI	GAS?	OIL (BBLS/DAY)		L PRODUCTION) MCF/DAY)	DRY7
PENSE	BROS DRIG C	O. Tue	YES 🛛 NO	NIL	1	14	DRY
DATE ABAND	DONED TOTAL DEPTH	AMOU	NT WELL PRODUCING PRIC		WATER (BBLS	S/DAY)	1
7/29	BROS. DRLG. C. TOTAL DEPTH 450'4 BACK	ro 360'	VIL	GAS (MCF/DAY)	234.	208815.2	sarcy
gas. Indicate	ch formation containing oil of e which formation open to we of abandonment		of each formation	Depth interval of each for	rmation	Size, kind, & dep amount cement	oth of plugs used, givin
SQUIF	ER		HOLD OF STER	PERFORATED 4:	19' 70 14' 25,'70	,	A TO TO 360' TO
	\	PLUGGING	EFFECTED	7/29/95			MENT PLUGTE
						/.	ANY GEL MUD
SIZE PIPE	PUT IN WELL (FT)	PULLED OUT	LEFT IN WELL (FT)	GIVE DEPTH AND METHOD OF PARTING CASING (SHOT, RIPPED, ETC.)		PACKERS AND	
7"	51'07"	NIL	48	3'7" CUT OFF			
4/2"	445'	NIL	442'	3 CUT OFF FROM SURF	FLOR	TSHOE	A
					4	ECE	IVE
VAS WELL FILL	I ED WITH MUD I ADEN ELLUD?		INDICATE DESPESS COR		ă.	AUG O	3 1995
CASING AS Sho	Cerne WY to Sc	erf-Plugged		MATION CONTAINING FRESH WATE — 399- 424 — 225- 235		∩ ∩il & ∩	Gas Council
NAME AND	DADDRESSES OF ADJ	ACENT LEASE OF		IERS OF THE SURFACE			Jas Council
	NAME		ADDR	E99	b	IRECTION FROM	THIS WELL
ONLY	LEAS OPERATO	R (ARBA)		63645			
PENSE	BROS. DRLA CO	o, Inc. Do	x 55/ FREDE	RICKYDUM MIA	N	A	
DANA	Y HAHN	RT.5	1, Box 243, Al	RICKTOWN, MO RIAN, MO 64T2D	NW	APPROX	1/2 MILE.
OF	OF DISPOSAL MUD PIT	OUBREILLE GRASED		psoil to Sur	:FACE	LEVEL A	Vow
NOTE	FILE THIS FORM IN DUPLICATE W	VITH (USE REVERSE SIDE	FOR ADDITIONAL DETAIL)				
CERTIFIC	(Company), a	gned, state that I a and that I am auth nd direction and	orized by said com	pany to make this report; therein are true, correct,	and that t	his report was	riepared under my
GNATURE	By: B. E. BLA	NCETT		. DRLG. CO., INC.		129/95	-
700 0217 /10	nd ne	MIT TWO CODIES TO	MICCOLINI OIL AND O	ACCOUNCE DO BOY SEE DO	111111111	. /	



W. C. LETHCHO

COUNTY ENGINEER & SURVEYOR
Bates County Court House
BUTLER, MO. 64730
Phone 679-4031

WELL REFERENCE TIES IN THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF SECTION 12, TOWNSHIP 41 NORTH, RANGE 32 WEST OF THE 5TH PRINCIPAL MERIDIAN IN BATES COUNTY, MISSOURI



HARMON & SONS WELL NO. 1

FOR: PENSE BROTHERS DRILLING CO. INC.

MAGNETIC BEARINGS 8° EAST DECL.

PROPOSED WELL HARMON & SONS WELL NO. 1

SPIKE IN NE SIDE

SPIKE IN NE SIDE

SPIKE IN N SIDE

8"

WALNUT

SPIKE IN TOP OF FENCE POST

SHEET 2 OF 2

THIS IS TO CERTIFY THE REFERENCE TIES SHOWN ON THIS SKETCH ARE IN ACCORDANCE WITH THE DNR CURRENT MINIMUM STANDARDS FOR PROPERTY BOUNDARY SURVEYS 10 CSR 30-2.010

2 0041

WILLIAM C. LETHCHO LS-1539 JULY 18, 1990

RECEIVE D

MO Oil & Gas Council Economic Geology